

**CITY OF STAMFORD
OFFICE OF OPERATIONS
BUREAU OF ENGINEERING**

WAIVER COVERING GRANITE BLOCK DEPRESSED CURB & DRIVEWAY APRONS

NAME(S) OF GRANTEE:


ADDRESS OF PROPERTY:

1. The Grantee acknowledges that the CITY OF STAMFORD has granted to the Grantee, permission to install a granite block depressed curb and/or a granite block driveway apron located at the above address, in a City Right of Way, in accordance with the *Construction Detail* provided.
2. The construction shall be performed by the Grantee at its sole cost and expense in the City of Stamford Right of Way and shall conform to all accepted City Standards.
3. The Grantee acknowledges that the City of Stamford reserves the right to remove said granite block curbs and/or apron if in the best interests of the City, at the sole discretion of the City, and the Grantee accepts such reservation of right.
4. In the event that the City removes said granite block curbs, the Grantee agrees not to claim any damages and/or compensation therefore, and the Grantee waives any right it has or may have for recourse therefrom.
5. This WAIVER shall apply to and run with the land, shall be binding on all owners, administrators, executors, successors, and assigns, of the Grantee.
6. In consideration of the right herein granted by the City of Stamford to install granite block in the City Right of Way, the Grantee does hereby expressly waive any and all claims for damages to the granite block arising from snow removal or by any other cause.
7. In further consideration thereof, the Grantee agrees to hold the City of Stamford free and harmless from any liability as aforesaid or from any suit or claim arising under the circumstances above stated, or from any suit or claim presented by any person claiming by, under or through the Grantee, relating to damages to or the removal of granite block placed in the City right of way.

In the Presence of:

(L.S.)


(L.S.)



Homeowner Shall be Responsible for Maintenance and Repair of Block Curbs and Block Apron. Apron can only be constructed on streets where no Sidewalks exist.

Plan View

Note:
Residential and/or Commercial Driveway Widths May Vary As Approved By The Engineering Bureau.




Granite Block set in 4" min. Concrete. All Joints to be Pointed and to be Flush with Block Face

Section X-X


GRANITE BLOCK APRON DETAIL

NTS



6" GRANITE BLOCK CURB

NTS



4" GRANITE BLOCK CURB

NTS

Concrete shall be Class C Cement Type II - 3000 psi (minimum) Air Entrainment Shall Be Between 5% to 7%

CITY OF STAMFORD

ENGINEERING BUREAU

SKETCHES & CALCULATIONS

Project Name CITY OF STAMFORD STANDARDS

Subject BELGIUM BLOCK APRON & CURBING

Made by ELG Date 1/01/06

Chk. by _____ Date _____

Belgium-Block-Apron-Curb Sheet No. 1 of 1