

# **FIGURES**

**Figure 1: Site Location Map**

**Figure 2: Site Layout and Monitoring Well and Sample Location Map**

**Figure 3: First Quarter: Bedrock Monitoring Well Groundwater Elevation Contour Map - May 16, 2012**

**Figure 4: Second Quarter: Bedrock Monitoring Well Groundwater Elevation Contour Map - August 28, 2012**

**Figure 5: Third Quarter: Bedrock Monitoring Well Groundwater Elevation Contour Map - November 5, 2012**

**Figure 6: Fourth Quarter: Bedrock Monitoring Well Groundwater Elevation Contour Map - February 27, 2013**

**Figure 7: First Quarter: Overburden Monitoring Well Groundwater Elevation Contour Map - May 16, 2013**

**Figure 8: Second Quarter: Overburden Monitoring Well Groundwater Elevation Contour Map - August 28, 2012**

**Figure 9: Third Quarter: Overburden Monitoring Well Groundwater Elevation Contour Map - November 5, 2012**

**Figure 10: Fourth Quarter: Overburden Monitoring Well Groundwater Elevation Contour Map - February 27, 2013**

**Figure 11: First Quarter Groundwater Sample Exceedances**

**Figure 12: Second Quarter Groundwater Sample Exceedances**

**Figure 13: Third Quarter Groundwater Sample Exceedances**

**Figure 14: Fourth Quarter Groundwater Sample Exceedances**

**Figure 15: First Quarter: Seep and Surface Water/ Sediment Sample Exceedances**

**Figure 16: Second Quarter Surface Water sample Exceedances**

**Figure 17: Third Quarter Surface Water Sample Exceedances**

**Figure 18: Fourth Quarter: Seep and Surface Water Sample Exceedances**


**Figure 19: Summary of Groundwater Contaminant Areas Bedrock Aquifer**

**Figure 20: Summary of Groundwater Contaminant Areas Shallow Overburden Aquifer**

**Figure 21: Existing Conditions HELP Model Area Plan**

**Figure 22: Capped Landfill HELP Model Area Plan**

**Figure 23: 7Q10 Aquifer Classification Map & Calculation**



1:24000

BASE CREATED WITH TOPO™ © 1996 WILDFLOWERS PRODUCTIONS,  
www.topo.com 7.5' USGS TOPOGRAPHIC MAP




21 Griffin Road North  
Windsor, CT 06095  
(860) 298-9692

**SCOFIELDTOWN PARK LANDFILL  
STAMFORD, CONNECTICUT**

**FIGURE 1  
AREA LOCATION MAP**

Date: 09/13

Project No. 191277.0000.0000



N/P  
The Hartford Electric Light Company  
Refer to Unrecorded map Entitled "Map of  
Property to be Conveyed to the Conn. Power Co.  
by the Rock Rimmon Development Co. Inc."  
Certified Substantially correct by W.M. Nolan Lic  
# 1600 Dated October 3, 1941

N/P  
Stephen Ehrlich et al  
Lot No. 56

- LEGEND**
- MW-1 MONITORING WELLS
  - SP-1 SEEP SAMPLE LOCATION
  - SW/SD-1 SURFACE WATER/SEDIMENT SAMPLE LOCATION

NO.	REVISIONS	DATE	APPROVAL


**CITY OF STAMFORD**  
SCOFIELDTOWN PARK LANDFILL  
STAMFORD, CONNECTICUT

21 Griffin Road North  
Windsor, CT 06095  
(860) 298-9692

**SITE LAYOUT AND  
MONITORING WELL AND  
SAMPLE LOCATIONS**

DESIGN: CC 07/12/12  
DRAWN: KDH 07/12/12  
CHECKED: ONS 07/12/12  
SCALE: 1"=40'  
PROJECT: 181277-00007-0000  
FIGURE NO.  
**FIGURE 2**

2:\D01\181277\0\Site Impact Evaluation Report  
11-12-2012 10:48:11 AM



N/P  
The Bridgeport Roman Catholic Diocese  
Corporation Map No. 7364 S.I.R.


N/P  
The Hartford Electric Light Company  
Refer to Unrecorded map Entitled "Map of  
Property to be Conveyed to the Conn. Power Co.  
by the Rock Rimmon Development Co. Inc."  
Certified Substantially correct by W.M. Nolan Lic  
# 1600 Dated October 3, 1941

N/P  
Stephen Ehrlich et al  
Lot No. 56


NOTE:  
AT PRESENT TIME, FOUR INSTALLED  
STREAM GAUGES ALONG THE UNNAMED  
BROOK AND POORHOUSE BROOK HAVE  
NOT BEEN SURVEYED AND THEREFORE  
HAVE NOT BEEN INCLUDED IN THE  
DEVELOPMENT OF THESE GROUND WATER  
FLOW CONTOURS.

**LEGEND**

SG-1	STREAM GAUGE
MW-1	MONITORING WELLS
(280.00)	GROUNDWATER ELEVATION IN WELL IN FEET ON MAY 16, 2012 BASED ON NAVD 88 DATUM
*	GROUNDWATER ELEVATION IN WELL NOT USED
-280-	GROUNDWATER ELEVATION CONTOUR IN FEET ON MAY 16, 2012 BASED ON NAVD 88 DATUM



NO.	REVISIONS	DATE	APPROVAL
<b>CITY OF STAMFORD SCOFIELDTOWN PARK LANDFILL STAMFORD, CONNECTICUT</b>			
<b>FIRST QUARTER: BEDROCK MONITORING WELL GROUNDWATER ELEVATION CONTOUR MAP - MAY 16, 2012</b>			
			21 Goffin Road North Windsor, CT 06095 (860) 298-9692
DESIGN:	CC	07/12/12	
DRAWN:	KDH	07/12/12	
CHECKED:	ONS	07/12/12	
SCALE:	1"=40'		
PROJECT:	181277-00007-0000		
FIGURE NO.	FIGURE 3		




N/P  
The Bridgeport Roman Catholic Diocese  
Corporation Map No. 7364 S.L.R.

N/P  
The Hartford Electric Light Company  
Refer to Unrecorded map Entitled "Map of  
Property to be Conveyed to the Conn. Power Co.  
by the Rock Rimmon Development Co. Inc."  
Certified Substantially correct by W.M. Nolan Lic  
# 1600 Dated October 3, 1941

N/P  
Stephen Ehrlich et al  
Lot No. 56

NOTE:  
AT PRESENT TIME, FOUR INSTALLED  
STREAM GAUGES ALONG THE UNNAMED  
BROOK AND POORHOUSE BROOK HAVE  
NOT BEEN SURVEYED AND THEREFORE  
HAVE NOT BEEN INCLUDED IN THE  
DEVELOPMENT OF THESE GROUND WATER  
FLOW CONTOURS.

- LEGEND**
- SG-1 STREAM GAUGE
  - MW-1 MONITORING WELLS
  - (280.00) GROUNDWATER ELEVATION IN WELL IN FEET ON AUGUST 28, 2012 BASED ON NAVD 88 DATUM
  - GROUNDWATER ELEVATION IN WELL NOT USED
  - 280 GROUNDWATER ELEVATION CONTOUR IN FEET ON AUGUST 28, 2012 BASED ON NAVD 88 DATUM



REVISIONS		DATE	APPROVAL
NO.	DESCRIPTION		


CITY OF STAMFORD SCOFIELDTOWN PARK LANDFILL STAMFORD, CONNECTICUT		 21 Goffin Road North Windsor, CT 06095 (860) 298-9692
<b>SECOND QUARTER: BEDROCK MONITORING WELL CONTOUR MAP - AUGUST 28, 2012</b>		

DESIGN: CC	12/11/12
DRAWN: KDH	12/11/12
CHECKED: CWS	12/11/12
SCALE: 1"=40'	
PROJECT: 181277-00007-0000	
FIGURE NO.	FIGURE 4







N/P  
The Bridgeport Roman Catholic Diocesan  
Corporation Map No. 7364 S.I.R.

N/P  
The Hartford Electric Light Company  
Refer to Unrecorded map Entitled "Map of  
Property to be Conveyed to the Conn. Power Co.  
by the Rock Rimmon Development Co. Inc."  
Certified Substantially correct by W.M. Nolan Lic  
# 1600 Dated October 3, 1941

N/P  
Stephen Ehrlich et al  
Lot No. 56

**NOTE:**


AT PRESENT TIME, FOUR INSTALLED  
STREAM GAUGES ALONG THE UNNAMED  
BROOK AND POORHOUSE BROOK HAVE  
NOT BEEN SURVEYED AND THEREFORE  
HAVE NOT BEEN INCLUDED IN THE  
DEVELOPMENT OF THESE GROUND WATER  
FLOW CONTOURS.

**LEGEND**

- SG-1 STREAM GAUGE
- MW-1 MONITORING WELLS
- (280.00) GROUNDWATER ELEVATION IN  
OVERBURDEN WELL IN FEET ON MAY  
16, 2012 BASED ON NAVD 88 DATUM
- 280 GROUNDWATER ELEVATION  
CONTOUR IN FEET ON MAY 16,  
2012 BASED ON NAVD 88 DATUM



NO.	REVISIONS	DATE	APPROVAL
<b>CITY OF STAMFORD</b> <b>SCOFIELDTOWN PARK LANDFILL</b> <b>STAMFORD, CONNECTICUT</b>			
<b>FIRST QUARTER:</b> <b>OVERBURDEN MONITORING WELL</b> <b>GROUNDWATER ELEVATION</b> <b>CONTOUR MAP - MAY 16, 2012</b>			 21 Goffin Road North Windsor, CT 06095 (860) 298-9692
DESIGN: CC 07/12/12 DRAWN: KDH 07/12/12 CHECKED: ONS 07/12/12 SCALE: 1"=40' PROJECT: 181277-00007-0000 FIGURE NO.			<b>FIGURE 7</b>



N/P  
The Bridgeport Roman Catholic Diocese  
Corporation Map No. 7364 S.I.R.



N/P  
The Hartford Electric Light Company  
Refer to Unrecorded map Entitled "Map of  
Property to be Conveyed to the Conn. Power Co.  
by the Rock Rimmon Development Co. Inc."  
Certified Substantially correct by W.M. Nolan Lic  
# 1600 Dated October 3, 1941

N/P  
Stephen Ehrlich et al  
Lot No. 56


NOTE:  
AT PRESENT TIME, FOUR INSTALLED  
STREAM GAUGES ALONG THE UNNAMED  
BROOK AND POORHOUSE BROOK HAVE  
NOT BEEN SURVEYED AND THEREFORE  
HAVE NOT BEEN INCLUDED IN THE  
DEVELOPMENT OF THESE GROUND WATER  
FLOW CONTOURS.

**LEGEND**

SG-1 STREAM GAUGE  
MW-1 MONITORING WELLS  
 GROUNDWATER ELEVATION IN  
OVERBRIEN WELL IN FEET ON AUGUST  
28, 2012 BASED ON NAVD 88 DATUM  
 GROUNDWATER ELEVATION  
CONTOUR IN FEET ON AUGUST 28,  
2012 BASED ON NAVD 88 DATUM



NO.	REVISIONS	DATE	APPROVAL
<b>CITY OF STAMFORD SCOFIELDTOWN PARK LANDFILL STAMFORD, CONNECTICUT</b>			
<b>SECOND QUARTER: OVERBURDEN MONITORING WELL GROUNDWATER ELEVATION CONTOUR MAP - AUGUST 28, 2012</b>			 21 Goffin Road North Windsor, CT 06095 (860) 298-9692
DESIGN: CC 12/10/12 DRAWN: KDH 12/10/12 CHECKED: ONS 12/10/12 SCALE: 1"=40' PROJECT: 181277-00007-0000 FIGURE NO.			<b>FIGURE 8</b>



N/P  
The Bridgeport Roman Catholic Diocesan  
Corporation Map No. 7364 S.L.R.


N/P  
The Hartford Electric Light Company  
Refer to Unrecorded map Entitled "Map of  
Property to be Conveyed to the Conn. Power Co.  
by the Rock Rimmon Development Co. Inc."  
Certified Substantially correct by W.M. Nolan Lic  
# 1600 Dated October 3, 1941

N/P  
Stephen Ehrlich et al  
Lot No. 56

NOTE:  
AT PRESENT TIME, FOUR INSTALLED  
STREAM GAUGES ALONG THE UNNAMED  
BROOK AND POORHOUSE BROOK HAVE  
NOT BEEN SURVEYED AND THEREFORE  
HAVE NOT BEEN INCLUDED IN THE  
DEVELOPMENT OF THESE GROUND WATER  
FLOW CONTOURS.

**LEGEND**

- SG-1 STREAM GAUGE
- MW-1 MONITORING WELLS
- (280.00) GROUNDWATER ELEVATION IN OVERBURDEN  
WELL IN FEET ON NOVEMBER 5, 2012  
BASED ON NAVD 88 DATUM
- 280 GROUNDWATER ELEVATION CONTOUR IN  
FEET ON NOVEMBER 5, 2012 BASED  
ON NAVD 88 DATUM



REVISIONS		DATE	APPROVAL
NO.	DESCRIPTION		

<b>CITY OF STAMFORD</b> <b>SCOFIELDTOWN PARK LANDFILL</b> <b>STAMFORD, CONNECTICUT</b>		 21 Goffin Road North Windsor, CT 06095 (860) 298-9692
<b>THIRD QUARTER:</b> <b>OVERBURDEN MONITORING WELL</b> <b>GROUNDWATER ELEVATION</b> <b>CONTOUR MAP - NOVEMBER 5, 2012</b>		
DESIGN: CC 12/10/12		ERRAND: KDH 12/10/12
CHECKED: ONS 12/10/12		SCALE: 1"=40'
PROJECT: 191277-00007-0000		FIGURE NO.
		<b>FIGURE 9</b>














Sample ID	CT Water Quality Standards	Aquatic Life Criteria	Human Health Criteria	Consumption of Fish & Water
UNB-SP-20120611	6/11/2012	12060256		
Sample Date	6/11/2012	12060256		
Lab Report				
Analysis Analytes	Acute	Chronic	Consumption of Fish & Water	Consumption of Fish & Water
Method 8260 (µg/l)	-	-	51	1.2
Method 200.7 (µg/l)	-	-	-	3.5
Total PP Metals				
Arsenic	340	150	0.021	0.018
Cadmium	1	0.028	10,789	5
Copper	14.3	4.8	-	1,300
Lead	30	1	15	1,000
Nickel	260.2	28.8	4,600	610
Silver	1.02	-	107,652	175
Zinc	65	65	25,000	7,400
General Chemistry (µg/l)				
Chloride	860,000	230,000	-	-
				1,770,000

Sample ID	CT Water Quality Standards	Aquatic Life Criteria	Human Health Criteria	Consumption of Fish & Water
UNB-SP-20120611	6/11/2012	12060256		
Sample Date	6/11/2012	12060256		
Lab Report				
Analysis Analytes	Acute	Chronic	Consumption of Fish & Water	Consumption of Fish & Water
Method 8260 (µg/l)	-	-	51	1.2
Method 200.7 (µg/l)	-	-	-	3.5
Total PP Metals				
Arsenic	340	150	0.021	0.018
Cadmium	1	0.028	10,789	5
Copper	14.3	4.8	-	1,300
Lead	30	1	15	1,000
Nickel	260.2	28.8	4,600	610
Silver	1.02	-	107,652	175
Zinc	65	65	25,000	7,400
General Chemistry (µg/l)				
Chloride	860,000	230,000	-	-
				1,770,000

Sample ID	CT Water Quality Standards	Aquatic Life Criteria	Human Health Criteria	Consumption of Fish & Water
UNB-SP-20120611	6/11/2012	12060256		
Sample Date	6/11/2012	12060256		
Lab Report				
Analysis Analytes	Acute	Chronic	Consumption of Fish & Water	Consumption of Fish & Water
Method 8260 (µg/l)	-	-	51	1.2
Method 200.7 (µg/l)	-	-	-	3.5
Total PP Metals				
Arsenic	340	150	0.021	0.018
Cadmium	1	0.028	10,789	5
Copper	14.3	4.8	-	1,300
Lead	30	1	15	1,000
Nickel	260.2	28.8	4,600	610
Silver	1.02	-	107,652	175
Zinc	65	65	25,000	7,400
General Chemistry (µg/l)				
Chloride	860,000	230,000	-	-
				1,300,000

Sample ID	CT Water Quality Standards	Aquatic Life Criteria	Human Health Criteria	Consumption of Fish & Water
UNB-SP-20120611	6/11/2012	12060256		
Sample Date	6/11/2012	12060256		
Lab Report				
Analysis Analytes	Acute	Chronic	Consumption of Fish & Water	Consumption of Fish & Water
Method 8260 (µg/l)	-	-	51	1.2
Method 200.7 (µg/l)	-	-	-	3.5
Total PP Metals				
Arsenic	340	150	0.021	0.018
Cadmium	1	0.028	10,789	5
Copper	14.3	4.8	-	1,300
Lead	30	1	15	1,000
Nickel	260.2	28.8	4,600	610
Silver	1.02	-	107,652	175
Zinc	65	65	25,000	7,400
General Chemistry (µg/l)				
Chloride	860,000	230,000	-	-
				1,300,000


Sample ID	CT Water Quality Standards	Aquatic Life Criteria	Human Health Criteria	Consumption of Fish & Water
UNB-SP-20120611	6/11/2012	12060256		
Sample Date	6/11/2012	12060256		
Lab Report				
Analysis Analytes	Acute	Chronic	Consumption of Fish & Water	Consumption of Fish & Water
Method 8260 (µg/l)	-	-	51	1.2
Method 200.7 (µg/l)	-	-	-	3.5
Total PP Metals				
Arsenic	340	150	0.021	0.018
Cadmium	1	0.028	10,789	5
Copper	14.3	4.8	-	1,300
Lead	30	1	15	1,000
Nickel	260.2	28.8	4,600	610
Silver	1.02	-	107,652	175
Zinc	65	65	25,000	7,400
General Chemistry (µg/l)				
Chloride	860,000	230,000	-	-
				1,300,000

Sample ID	CT Water Quality Standards	Aquatic Life Criteria	Human Health Criteria	Consumption of Fish & Water
UNB-SP-20120611	6/11/2012	12060256		
Sample Date	6/11/2012	12060256		
Lab Report				
Analysis Analytes	Acute	Chronic	Consumption of Fish & Water	Consumption of Fish & Water
Method 8260 (µg/l)	-	-	51	1.2
Method 200.7 (µg/l)	-	-	-	3.5
Total PP Metals				
Arsenic	340	150	0.021	0.018
Cadmium	1	0.028	10,789	5
Copper	14.3	4.8	-	1,300
Lead	30	1	15	1,000
Nickel	260.2	28.8	4,600	610
Silver	1.02	-	107,652	175
Zinc	65	65	25,000	7,400
General Chemistry (µg/l)				
Chloride	860,000	230,000	-	-
				1,300,000

Sample ID	CT Water Quality Standards	Aquatic Life Criteria	Human Health Criteria	Consumption of Fish & Water
UNB-SP-20120611	6/11/2012	12060256		
Sample Date	6/11/2012	12060256		
Lab Report				
Analysis Analytes	Acute	Chronic	Consumption of Fish & Water	Consumption of Fish & Water
Method 8260 (µg/l)	-	-	51	1.2
Method 200.7 (µg/l)	-	-	-	3.5
Total PP Metals				
Arsenic	340	150	0.021	0.018
Cadmium	1	0.028	10,789	5
Copper	14.3	4.8	-	1,300
Lead	30	1	15	1,000
Nickel	260.2	28.8	4,600	610
Silver	1.02	-	107,652	175
Zinc	65	65	25,000	7,400
General Chemistry (µg/l)				
Chloride	860,000	230,000	-	-
				1,300,000

**LEGEND**

- MW-1 MONITORING WELL LOCATION
- SP-1 SEEP SAMPLE LOCATION
- SW/SD-1 SURFACE WATER/SEDIMENT SAMPLE LOCATION



NO.	REVISIONS	DATE	APPROVAL


**CITY OF STAMFORD**  
SCOFIELDTOWN PARK LANDFILL  
STAMFORD, CONNECTICUT

**FIRST QUARTER:**  
**SEEP AND SURFACE**  
**WATER/SEDIMENT SAMPLE**  
**EXCEEDANCES**

21 Griffin Road North  
Windsor, CT 06095  
(860) 298-9692

DESIGN: CC 07/12/12  
DRAWN: KDH 07/12/12  
CHECKED: ONS 07/12/12  
SCALE: 1"=40'  
PROJECT: 181277-00007-0000  
FIGURE NO.  
**FIGURE 15**

2:\GIS\191277\0\Map Impact Evaluation Report  
11-16-12.dwg (Last Updated) 10 November 2012 11:38AM khshelton



N/P  
The Bridgeport Roman Catholic Diocese  
Corporation Map No. 7364 S.I.R.

N/P  
The Hartford Electric Light Company  
Refer to Unrecorded map Entitled "Map of  
Property to be Conveyed to the Conn. Power Co.  
by the Rock Rimmon Development Co. Inc."  
Certified Substantially correct by W.M. Nolan Lic  
# 1600 Dated October 3, 1941

N/P  
Stephen Ehrlich et al  
Lot No. 56

Sample ID	Sample Date	CT Water Quality Standards Aquatic Life Criteria	CT Water Quality Standards Human Health Criteria	SWQI
Total Priority Pollutant Metals (plus H.C. by Method 200.7 (up))		14.3	4.8	1.300
Copper		65	65	7.400
Zinc		NA	NA	NA
Lead		NA	NA	NA
Chromium		NA	NA	NA
Mercury		NA	NA	NA
Other		NA	NA	NA

Sample ID	Sample Date	SWQI
MW-1	3/15/11	1.300
MW-2	3/15/11	1.300
MW-3	3/15/11	1.300
MW-4	3/15/11	1.300
MW-5	3/15/11	1.300
MW-6	3/15/11	1.300
MW-7	3/15/11	1.300
MW-8	3/15/11	1.300
MW-9	3/15/11	1.300
MW-10	3/15/11	1.300
MW-11	3/15/11	1.300
MW-12	3/15/11	1.300
MW-13	3/15/11	1.300
MW-14	3/15/11	1.300
MW-15	3/15/11	1.300
MW-16	3/15/11	1.300
MW-17	3/15/11	1.300
MW-18	3/15/11	1.300
MW-19	3/15/11	1.300
MW-20	3/15/11	1.300
MW-21	3/15/11	1.300
MW-22	3/15/11	1.300
MW-23	3/15/11	1.300
MW-24	3/15/11	1.300
MW-25	3/15/11	1.300
MW-26	3/15/11	1.300

**LEGEND**

MW-1 MONITORING WELL LOCATION

SP-1 SEEP SAMPLE LOCATION

SW/SD-1 SURFACE WATER/SEDIMENT SAMPLE LOCATION

NO.	REVISIONS	DATE	APPROVAL

**CITY OF STAMFORD**  
SCOFIELDTOWN PARK LANDFILL  
STAMFORD, CONNECTICUT

**TRC**  
21 Giffen Road North  
Windsor, CT 06095  
(860) 298-9692

DESIGN: CC 12/11/12  
DRAWN: KDH 12/11/12  
CHECKED: ONS 12/11/12  
SCALE: 1"=40'  
PROJECT: 181277-00007-0000  
FIGURE NO.

**SECOND QUARTER:  
SURFACE WATER  
SAMPLE EXCEEDANCES**

**FIGURE 16**

2:\D\181277\0\Site Impact Evaluation Report\181277-00007-0000-Figure 16 November 01, 2013-12:02PM.ksh





Sample ID	Water Quality Standards	SW-03
Sample Date	Acetic	3/11/2013
Lab Report	Chlorine (ppm)	1300071
Analyst/Analyses	Acetic Chlorine (ppm)	
General Chemistry (ppm)	Chlorine	880,000 230,000 440,000

Sample ID	Water Quality Standards	SW-03
Sample Date	Acetic	3/11/2013
Lab Report	Chlorine (ppm)	1300071
Analyst/Analyses	Acetic Chlorine (ppm)	
General Chemistry (ppm)	Chlorine	880,000 230,000 440,000

Sample ID	Water Quality Standards	SW-03
Sample Date	Acetic	3/11/2013
Lab Report	Chlorine (ppm)	1300071
Analyst/Analyses	Acetic Chlorine (ppm)	
General Chemistry (ppm)	Chlorine	880,000 230,000 440,000


Sample ID	Water Quality Standards	SW-03
Sample Date	Acetic	3/11/2013
Lab Report	Chlorine (ppm)	1300071
Analyst/Analyses	Acetic Chlorine (ppm)	
General Chemistry (ppm)	Chlorine	880,000 230,000 440,000

Sample ID	Water Quality Standards	SW-03
Sample Date	Acetic	3/11/2013
Lab Report	Chlorine (ppm)	1300071
Analyst/Analyses	Acetic Chlorine (ppm)	
General Chemistry (ppm)	Chlorine	880,000 230,000 440,000

Sample ID	Water Quality Standards	SW-03
Sample Date	Acetic	3/11/2013
Lab Report	Chlorine (ppm)	1300071
Analyst/Analyses	Acetic Chlorine (ppm)	
General Chemistry (ppm)	Chlorine	880,000 230,000 440,000

**LEGEND**


- MW-1 MONITORING WELL LOCATION
- SP-1 SEEP SAMPLE LOCATION
- SW/SD-1 SURFACE WATER/SEDIMENT SAMPLE LOCATION



NO.	REVISIONS	DATE	APPROVAL
<b>CITY OF STAMFORD</b> <b>SCOFIELDTOWN PARK LANDFILL</b> <b>STAMFORD, CONNECTICUT</b>			
<b>DESIGN:</b> CC 5/28/13 <b>DRAWN:</b> KDH 5/28/13 <b>CHECKED:</b> ONS 5/28/13 <b>SCALE:</b> 1"=40' <b>PROJECT:</b> 181277-00007-0000 <b>FIGURE NO.</b>			
<b>FOURTH QUARTER:</b> <b>SEEP AND SURFACE WATER</b> <b>SAMPLE EXCEEDANCES</b>			
<b>FIGURE 18</b>			

2:\D\181277\DWG\Impacts\Evaluation\Report.dwg  
 2/27/2014 10:44 AM kshelton





ETPH (µg/l) (12)	
PP Metals (µg/l)	770
Average Total PP Metals exceedances	44
Asbestos	400
Chromium (VI)	88
Copper	9,800
Lead	7,600
Nickel	370
Silver	110
Zinc	10,300

VOCs (µg/l)	
Total VOCs (12)	37.7
VOCs Exceedances	3.6
Average ETPH (µg/l) (12)	1,100
PP Metals (µg/l)	7
Average Total PP Metals exceedances	140
Asbestos (12)	100
Lead (12)	100
Silver (12)	100

VOCs (µg/l)	
Average Total VOCs (12)	2.9
VOCs Exceedances	2
PP Metals (µg/l)	980
Average Total PP Metals exceedances	4.5
Asbestos (12)	81
Copper (12)	296
Lead (12)	100
Silver (12)	100

VOCs (µg/l)	
Average Total VOCs (12)	12
VOCs Exceedances	2
PP Metals (µg/l)	2
Total PP Metals exceedances	6.3
Asbestos (12)	81
Copper (12)	100
Lead (12)	100
Silver (12)	100

VOCs (µg/l)	
Average Total VOCs (12)	29.3
VOCs Exceedances	2.2
PP Metals (µg/l)	6
Average Total PP Metals exceedances	19
Asbestos (12)	100
Lead (12)	100
Nickel (12)	140
Silver (12)	2,000

VOCs (µg/l)	
Average Total VOCs (12)	22
VOCs Exceedances	18
PP Metals (µg/l)	48
Average Total PP Metals exceedances	17
Asbestos (12)	70
Chromium (VI)	300
Copper (12)	100
Lead (12)	140
Nickel (12)	100
Silver (12)	2,000

VOCs (µg/l)	
Average Total VOCs (12)	431.3
VOCs Exceedances	40
Average ETPH (µg/l) (12)	2,275
PP Metals (µg/l)	17
Average Total PP Metals exceedances	17
Asbestos (12)	100
Lead (12)	100
Silver (12)	100

VOCs (µg/l)	
Average Total VOCs (12)	4.5
PP Metals (µg/l)	204.5
Average Total PP Metals exceedances	419
Asbestos (12)	100
Lead (12)	100
Silver (12)	100

VOCs (µg/l)	
Average Total VOCs (12)	2.6
PP Metals (µg/l)	4.3
Average Total PP Metals exceedances	4.3
Asbestos (12)	100
Lead (12)	100
Silver (12)	100

VOCs (µg/l)	
Average Total VOCs (12)	11
PP Metals (µg/l)	0.7
Average Total PP Metals exceedances	0.7
Asbestos (12)	100
Lead (12)	100
Silver (12)	100

VOCs (µg/l)	
Average Total VOCs (12)	1.6
PP Metals (µg/l)	1.6
Average Total PP Metals exceedances	1.6
Asbestos (12)	100
Lead (12)	100
Silver (12)	100

PP Metals (µg/l)	
Total PP Metals exceedances	20
Asbestos (12)	100
Lead (12)	100
Silver (12)	100


PP Metals (µg/l)	
Total PP Metals exceedances	19
Asbestos (12)	100
Lead (12)	100
Silver (12)	100

VOCs (µg/l)	
Average Total VOCs (12)	3.3
PP Metals (µg/l)	14
Average Total PP Metals exceedances	14
Asbestos (12)	100
Lead (12)	100
Silver (12)	100

VOCs (µg/l)	
Average Total VOCs (12)	4.2
PP Metals (µg/l)	4.8
Average Total PP Metals exceedances	4.8
Asbestos (12)	100
Lead (12)	100
Silver (12)	100

**LEGEND**

- MW-1 (Symbol) MONITORING WELLS
- SP-1 (Symbol) SEEP SAMPLE LOCATION
- SW/SD-1 (Symbol) SURFACE WATER/SEDIMENT SAMPLE LOCATION



NO.	REVISIONS	DATE	APPROVAL

<b>CITY OF STAMFORD</b> <b>SCOFIELDTOWN PARK LANDFILL</b> <b>STAMFORD, CONNECTICUT</b>		 21 Goffin Road North Windsor, CT 06095 (860) 298-9692
<b>SUMMARY OF</b> <b>GROUNDWATER CONTAMINANT AREAS</b> <b>- SHALLOW OVERBURDEN AQUIFER</b>		
DESIGN:	CC	7/31/13
DRAWN:	KDH	7/31/13
CHECKED:	ONS	7/31/13
SCALE:	1"=40'	
PROJECT:	181277-00007-0000	
FIGURE NO.		FIGURE 20

21/001/181277/0/Phase Impact Evaluation Report/ 181277-00007-Figure 20 November 01, 2013-11:55AM khshelton



AREA NAME	SQUARE FEET
LANDFILL FOOTPRINT	719,306 SQ.FT.
UPPER PAVED	49,992 SQ.FT.
LOWER PAVED	70,140 SQ.FT.
CONCRETE PAD	11,726 SQ.FT.
POND	25,808 SQ.FT.
EAST SIDE SLOPE	80,833 SQ.FT.
PARK	112,950 SQ.FT.
TOP	231,042 SQ.FT.
NORTH SIDE SLOPE	136,815 SQ.FT.
1	18,989 SQ.FT.
2	5,148 SQ.FT.
3	5,082 SQ.FT.
4	8,411 SQ.FT.
5	7,075 SQ.FT.
6	9,228 SQ.FT.
7	9,036 SQ.FT.
8	11,019 SQ.FT.
9	22,231 SQ.FT.
10	5,570 SQ.FT.
11	1,272 SQ.FT.
12	3,361 SQ.FT.
13	6,909 SQ.FT.
14	5,409 SQ.FT.
15	353 SQ.FT.
A	902 SQ.FT.
B	13,077 SQ.FT.
C	7,984 SQ.FT.
D	469 SQ.FT.
E	114 SQ.FT.
F	94 SQ.FT.
G	469 SQ.FT.

LEGEND	
	APPROXIMATE SOLID WASTE LIMIT
	IMPERVIOUS AREAS
	AREAS
	NAME AREA NAME
	STORMWATER CHANNELS
	SUB AREA

**TRC** 14 GABRIEL DRIVE  
AUGUSTA, ME 04330

PROJECT NO: 191277

REV	DESCRIPTION	DATE	DES	CHK	APP

DA  
DESIGNED  
AW  
DRAWN  
LF  
CHECKED  
APPROVED  
REVIEW 1  
REVIEW 2

EXISTING CONDITIONS  
HELP MODEL AREA PLAN  
SCOFIELDTOWN LANDFILL

STAMFORD


CONNECTICUT

06/13  
DATE  
AS NOTED  
SCALE



FIGURE 21


REV.  
A



AREA NAME	SQUARE FEET
LIMIT OF GEOMEMBRANE	709,145 SQ.FT.
PAVED AREA	127,352 SQ.FT.
DETENTION POND	34,595 SQ.FT.
EAST SIDE SLOPE	90,353 SQ.FT.
TOP	266,980 SQ.FT.
NORTH SIDE SLOPE	189,865 SQ.FT.
1	15,518 SQ.FT.
A	7,740 SQ.FT.

**LEGEND**

	LIMIT OF GEOMEMBRANE
	IMPERVIOUS AREAS
	AREAS
	AREA NAME
	SUB AREA



**CTRC** 14 GABRIEL DRIVE  
 AUGUSTA, ME 04330

PROJECT NO: 191277

REV	DESCRIPTION	DATE	DES	CHK	APP

DA	DESIGNED
AW	DRAWN
LF	CHECKED
APPROVED	APPROVED

STAMFORD

CAPPED LANDFILL  
 HELP MODEL AREA PLAN  
 SCOTFIELDTOWN LANDFILL

CONNECTICUT



FIGURE 22

REV. A